

call: +61 3 9331 5544 sales@abaconproducts.com.au

# Reinforcing Bar Plain Round

## Product Page:

https://www.abaconreo.com.au/product/reinforcing-bar-plain-round/

## Product Description

#### Reinforcing Bar

## **Reinforcing Bar Plain Round**

Part of the reinforcing bar range, this Reinforcing Bar Plain Round product that is a normal ductility class plain round reinforcement bar **Type 250N**, which meets Australian Standards AS4671-2001.

Note that, all AbaconREO professional reinforcing building products, including Reinforcing Bar plain round items are available for both retail and wholesale sales, which can be conveniently collected from our Melbourne factory or delivery can be arranged Australia wide. Request a quote today! Do you need another reinforcing bar building product variation or specific quantity. We can help. Simply <u>click here to contact us</u> today for more information. **Plain Round Reinforcing Bar Details**] **Reference Diameter or size Stock Lengths M Theoretical Mass per Metre Kg/m Theoretical Cross-sectional Area (mm2)** 

R6.5	
6.5	
6	
0.261	
33	
R10	
10	
6	
0.617	
79	
R12	
12	
6	
0.888	
113	
R16	
16	
6	
1.58	
201	
R20	

20 6 2.47 314			
R24 24 6 3.55 452			
R27 28 6 4.49 573			
R33 33 6 6.71 855			
R36** 36 L.O.A 7.99 1020			
R39** 39			

L.O.A 9.38 1195

\*\* Non Stock Size Items Ordered from Mill Rolling, Minimum Quantity Required.Mass shown in the above tables are net theoretical weights per metre.Allow for a manufacturing tolerance as per clause 7.3 of AS4671-2001



Reinforcing Bars - click to view full range



Reinforcing Bars - click to view full range



Reinforcing Bars - click to view full range

# Get pricing on reinforcing plain round bars]

Are you Interested? Then, select your preferred reinforcing bar option from the drop down menu selection above and 'add to quote'. Finally, complete the <u>request a</u> <u>quote</u> page and we will get back to you with your desired information and pricing.

**Product Variants** 

6.5mm 10mm 12mm 16mm 20mm 24mm 28mm 33mm 36mm

39mm