



## Ribbed Reinforcing Wire



**Product Page:** <https://www.abaconreo.com.au/product/ribbed-reinforcing-wire/>

### Product Description

#### Reinforcing Wire

##### **Low Ductility Ribbed Reinforcing Wire**

Within our reinforcing wire range is the low ductility class ribbed reinforcing wire, product **type 500L**. Ribbed Reinforcing Wire is available in sizes 4.0mm up to 11.9mm.

Note that all AbaconREO professional reinforcing building products, including Ribbed Reinforcing Wire is on offer for both retail and wholesale sales, and is conveniently collected from our Melbourne factory or delivery arranged Australia wide. Request a quote today!

Do you need another reinforcing building product variation or specific quantity. We can help. Simply [click here and contact us](#) now for more information.

**Low Ductility** Ribbed Reinforcing Wire Details - **Type 500L**

GEOMETRIC PROPERTIES

**Reference Wire size Nominal Cross Section Area mm2 Mass Per Metre  
Kg/m Metres Per Tonne m/t**

LDRW4.00  
4  
12.566  
0.0986  
10142

LDRW4.77  
4.77  
17.87  
0.1403  
7128

LDRW5.37  
5.37  
22.648  
0.1778  
5624

LDRW6.00  
6

28.274  
0.222  
4505

LDRW6.75  
6.75  
35.785  
0.2809  
3560

LDRW7.60  
7.6  
45.365  
0.3561  
2808

LDRW8.60  
8.6  
58.088  
0.456  
2193

LDRW9.50  
9.5  
70.882  
0.5564  
1797

LDRW10.70  
10.7  
89.92

0.7059

1417

LDRW11.90

11.9

111.22

0.8731

1145

### **Get pricing on deformed reinforcing bars**

Interested? Then, select your preferred reinforcing ribbed wire option from the drop down menu above and 'add to quote'. Finally, complete the request a quote page and we will get back to you with your desired information and pricing.

For even more wire products visit [AbaconProducts](#)

### **Product Variants**

11.9mm

10.7mm

9.5mm

8.6mm

7.6mm

6.75mm

6mm

5.37mm

4.77mm

4mm